



Rackmount KVM

LCD Console Drawer

4K / FHD Display



HDMI KVM

- HDMI KVM with 8 ports in 1U
- KVM cables support DP, HDMI & DVI-D video input
- USB hub ports share peripheral devices among computers
- Local console & KVM ports support 4K, 2K and 1080p resolutions
- Port switching via front button & keyboard hotkeys
- Multi platform, hot pluggable, no software or drivers required



DVI-D KVM

- DVI-D KVM with 12 ports in 1U
- Port switching via front button & keyboard hotkeys
- Multi platform, hot pluggable, no software or drivers required



Combo Cat6 KVM

- Cat6 KVM with 8, 16 or 32 ports in 1U
- Cat6 dongles available for USB-C, DP, HDMI, DVI-D or VGA video input
- IP 1080 / Remote console options
- Port switching via OSD, front button, keyboard hotkeys
- Multi lingual OSD menu
- Multi platform, hot pluggable, no software or drivers required
- Cascade up to 8 KVM switches to control as many as 256 servers



Matrix Cat6 KVM

- Cat6 KVM with 16 or 32 ports in 1U
- Simultaneous & independent access for up to 4 consoles
- Cat6 dongles available for USB-C, DP, HDMI, DVI-D or VGA video input
- IP 1080 / Remote console options
- Port switching via OSD, front button, keyboard hotkeys
- Multi lingual OSD menu
- Multi platform, hot pluggable, no software or drivers required
- Cascade up to 8 KVM switches to control as many as 256 servers



Combo DB-15 KVM

- DB-15 KVM with 8 or 16 ports in 1U
- IP 1080 / Remote console options
- Port switching via OSD, front button, keyboard hotkeys
- Multi lingual OSD menu
- Multi platform, hot pluggable, no software or drivers required
- Cascade up to 8 KVM switches to control as many as 128 servers



USB Hub DB-15 KVM

- DB-15 KVM with 8 ports in 1U
- IP 1080 / Remote console options
- USB hub ports share peripheral devices among computers
- Port switching via OSD, front button, keyboard hotkeys
- Multi lingual OSD menu
- Multi platform, hot pluggable, no software or drivers required

KVM Series	HDMI	DVI-D	Combo Cat6	Matrix Cat6	Combo DB-15	USB Hub DB-15
KVM Port	HDMI + USB	DVI-D + USB	RJ-45	RJ-45	DB-15	DB-15
Server-side Video	DP / HDMI DVI-D	DVI-D	USB-C DP / HDMI DVI-D / VGA	USB-C DP / HDMI DVI-D / VGA	VGA	VGA
Server-side KB / MS	USB	USB	USB	USB	USB / PS2	USB
Number of Ports	8	12	32 / 16 / 8	32 / 16	16 / 8	8
Max. Resolution - 16 : 9 16 : 10 4 : 3	3840 x 2160 1920 x 1200 1600 x 1200	1920 x 1080 1920 x 1200 1600 x 1200	1920 x 1080 1920 x 1200 1600 x 1200	1920 x 1080 1920 x 1200 1600 x 1200	1920 x 1080 1920 x 1200 1600 x 1200	1920 x 1080 1920 x 1200 1600 x 1200
Server-side Audio	Digital (DP / HDMI)	Stereo				
USB Device Port	2 x USB 2.0					2 x USB 2.0
Max. Distance (to Server)	2M	4.5M	40M	40M	4.5M	4.5M
Cascade Levels			8	8	8	
Simultaneous Users (max. 4)				✓		
On-Screen Menu			✓	✓	✓	✓
 1080 Access Option			✓	✓	✓	✓
DC Power Option: 12V / 24V / 48V / 125V / 250V	✓	✓	✓	✓	✓	✓
Multi Lingual OSD Menu			✓	✓	✓	✓
1U Standalone KVM	✓	✓	✓	✓	✓	✓
KVM integration to LCD Console Drawer	✓	✓	✓	✓	✓	✓

KVM Cable

HDMI KVM

CK-6P



4K HDMI - DP
KVM cable (6 ft)

CK-6H



4K HDMI - HDMI
KVM cable (6 ft)

CH-6D



2K HDMI - DVI-D
KVM cable (6 ft)

DVI-D KVM

CI - 6 / 15



DVI-D KVM cable
(6 / 15 ft)

DB-15 KVM

CB - 6 / 10 / 15



VGA KVM cable
(6 / 10 / 15 ft)

Cat6 KVM Dongle

DG-100C



USB-C dongle

DG-100P



DP-USB dongle

DG-100H



HDMI-USB dongle

DG-100SD



DVI-USB dongle

DG-100S



VGA-USB dongle



RKP117 / 119

1U 17" / 19" LED-backlit LCD Console Drawer

Benefits

- ▶ 1U 17" / 19" LED-backlit LCD console drawer
- ▶ 1280 x 1024 native resolution
- ▶ 16.7M colors
- ▶ 104-key USB keyboard with either touchpad or trackball
- ▶ Short depth design of 460mm and 500mm respectively
- ▶ One man installation design
- ▶ New enhanced aesthetics with molded front handle

Options

- HDMI 1.4 + DVI-D + Audio + Speakers (**AV4.4**)
- HDMI 1.4 + Speakers (**HDMI**)
- S-Video + Composite + Speakers (**BNC**)
- 3G / HD / SD-SDI input + Speakers (**SDI**)
- Front USB hub port for device access (**USB**)
- 2-post rack mounting brackets (**ORB-2.1**)
- DC power : 12V / 24V / 48V / 125V / 250V
- SUN Micro keyboard option
- 17" Touchscreen :
Projected Capacitive 10-pt / Resistive 1-pt
- 19" Touchscreen : Resistive 1-pt



N117 / N119


1U 17" / 19" LED-backlit LCD Console Drawer

Benefits

- ▶ 1U 17" / 19" LED-backlit LCD console drawer
- ▶ 1280 x 1024 native resolution
- ▶ 16.7M colors
- ▶ 104-key USB keyboard with either touchpad or trackball
- ▶ Short depth design of 500mm
- ▶ One man installation design
- ▶ Modern, molded front handle with two point lock

Options

- HDMI 1.4 + DVI-D + Audio + Speakers (**AV4.4**)
- HDMI 1.4 + Speakers (**HDMI**)
- S-Video + Composite + Speakers (**BNC**)
- 3G / HD / SD-SDI input + Speakers (**SDI**)
- DC power : 12V / 24V / 48V / 125V / 250V
- SUN Micro keyboard option



D117 / D119

1U Dual Slide 17" / 19" LED-backlit LCD Console Drawer

Benefits

- ▶ 1U 17" / 19" LED-backlit LCD console drawer
- ▶ Dual slide - LCD and keyboard slide independently
- ▶ 1280 x 1024 native resolution
- ▶ 16.7M colors
- ▶ 104-key USB keyboard with touchpad
- ▶ One man installation design
- ▶ Modern, molded front handle with two point lock

Options

- HDMI 1.4 + DVI-D + Audio + Speakers (**AV4.4**)
- HDMI 1.4 + Speakers (**HDMI**)
- S-Video + Composite + Speakers (**BNC**)
- 3G / HD / SD-SDI input + Speakers (**SDI**)
- DC power : 12V / 24V / 48V / 125V / 250V
- SUN Micro keyboard option

KVM Kit Options

• HDMI KVM

8 ports
(Resolution related to LCD specification)

• DVI-D KVM

12 ports

• Combo Cat6 KVM

8 / 16 / 32 ports
IP & Remote options

• Matrix Cat6 KVM

16 / 32 ports
IP & Remote options

• Combo DB-15 KVM

8 / 16 ports
IP & Remote options

• USB-Hub DB-15 KVM

8 ports
IP & Remote options



RP-717 / 819

7U / 8U Display Panel

Benefits

- ▶ 7U 17" / 8U 19" LED-backlit LCD display panel
- ▶ 1280 x 1024 native resolution / 16.7M colors
- ▶ HDMI 1.4 + VGA video input (speakers excluded)
- ▶ 2-year standard warranty (upgradable up to 5 years)

Options

- Dual stereo speakers for HDMI (**HS4.4**)
- DVI-D + Audio + Speakers (**DV4.4**)
- Composite + Audio IN + Speakers (**BNC**)
- 3G / HD / SD-SDI input + Speakers (**SDI**)
- Multi display OSD controller (**MCS**)
- MIL-type or lockable connector
- DC power : 12V / 24V / 48V / 125V / 250V
- IP65 front protection (**IP65**)
- Touchscreen : Projected Capacitive 10-pt* / Capacitive 1-pt* / Resistive 1-pt

* Extra 1U chassis height will be increased after integration.



RP-117 / 119

1U Display Drawer

Benefits

- ▶ 1U 17" / 19" LED-backlit LCD display drawer
- ▶ 1280 x 1024 native resolution
- ▶ 16.7M colors
- ▶ HDMI 1.4 + VGA video input (speakers excluded)
- ▶ Short depth design of 500mm
- ▶ One man installation design
- ▶ Modern, molded front handle with two point lock

Options

- Dual stereo speakers for HDMI (**HS4.4**)
- DVI-D + Audio + Speakers (**DV4.4**)
- S-Video + Composite + Speakers (**BNC**)
- 3G / HD / SD-SDI input + Speakers (**SDI**)
- DC power : 12V / 24V / 48V / 125V / 250V
- 17" Touchscreen : Projected Capacitive 10-pt / Resistive 1-pt
- 19" Touchscreen : Resistive 1-pt



RP-120

1U 20" Display Drawer

Benefits

- ▶ 1U 20" LCD display drawer
- ▶ 1600 x 1200 native resolution
- ▶ 16.7M colors
- ▶ HDMI 1.4 + VGA video input (speakers excluded)
- ▶ One man installation design
- ▶ Modern, molded front handle with two point lock

Options

- Dual stereo speakers for HDMI (**HS4.4**)
- DVI-D + Audio + Speakers (**AV3.0**)
- S-Video + Composite + Speakers (**BNC**)
- 3G / HD / SD-SDI input + Speakers (**SDI**)
- DC power : 12V / 24V / 48V / 125V / 250V
- Touchscreen : Resistive 1-pt



F117 / F119

1U 17" / 19" FHD LED-backlit LCD Console Drawer

Benefits

- ▶ 1U 17" / 19" LED-backlit LCD console drawer
- ▶ 1920 x 1080 native resolution / 16.7M colors
- ▶ HDMI + VGA video input (speakers excluded)
- ▶ 104-key USB keyboard with either touchpad or trackball
- ▶ Short depth design of 460mm
- ▶ One Man installation design
- ▶ New enhanced aesthetics with molded front handle

* 2-point lock available for F119 front handle

Options

- Dual stereo speakers for HDMI (**HS4.4**)
- DP 1.0 + Speakers (**DP**)
- DVI-D + Audio + Speakers (**DV4.4**)
- Composite + Audio IN + Speakers (**BNC**)
- 3G / HD / SD-SDI input + Speakers (**SDI**)
- Front USB hub port for device access (**USB**)
- 2-post rack mounting brackets (**ORB-2.1**)

* Bracket option available for F117

- DC power : 12V / 24V / 48V / 125V / 250V
- SUN Micro keyboard option
- 17" Touchscreen :
- Projected Capacitive 10-pt / Resistive 1-pt



DF117

1U Dual Slide 17" FHD LED-backlit LCD Console Drawer

Benefits

- ▶ 1U 17" LED-backlit LCD console drawer
- ▶ Dual slide - LCD and keyboard slide independently
- ▶ 1920 x 1080 native resolution
- ▶ 16.7M colors (8-bit)
- ▶ HDMI 1.4 + VGA video input (speakers excluded)
- ▶ 104-key USB keyboard with touchpad
- ▶ One man installation design
- ▶ Modern, molded front handle with two point lock

Options

- Dual stereo speakers for HDMI (**HS4.4**)
- DP 1.0 + Speakers (**DP**)
- DVI-D + Audio + Speakers (**DV4.4**)
- Composite + Audio IN + Speakers (**BNC**)
- 3G / HD / SD-SDI input + Speakers (**SDI**)
- DC power : 12V / 24V / 48V / 125V / 250V
- SUN Micro keyboard option



F121

1U 21" FHD Large LED-backlit LCD Console Drawer

Benefits

- ▶ 1U 21" LED-backlit LCD console drawer
- ▶ 1920 x 1080 native resolution
- ▶ 16.7M colors
- ▶ HDMI 1.4 + VGA video input (speakers excluded)
- ▶ 104-key USB keyboard with either touchpad or trackball
- ▶ One man installation design
- ▶ Modern, molded front handle with two point lock

Options

- Dual stereo speakers for HDMI (**HS4.4**)
- DP 1.0 + Speakers (**DP**)
- DVI-D (**DVI**)
- Composite + Audio IN + Speakers (**BNC**)
- 3G / HD / SD-SDI input + Speakers (**SDI**)
- Front USB hub port for device access (**USB**)
- DC power : 12V / 24V / 48V / 125V / 250V
- SUN Micro keyboard option

* No HDMI after integration of DP, DVI, BNC or SDI option

Model (left side open)	Model (right side open)
F121	F121R

KVM Kit Options

• HDMI KVM

8 ports
(Resolution related to LCD specification)

• DVI-D KVM

12 ports

• Combo Cat6 KVM

8 / 16 / 32 ports
IP & Remote options

• Matrix Cat6 KVM


16 / 32 ports
IP & Remote options

• Combo DB-15 KVM

8 / 16 ports
IP & Remote options

• USB-Hub DB-15 KVM

8 ports
IP & Remote options



RP-F617 / RP-F719

6U 17" / 7U 19" FHD Display Panel

Benefits

- ▶ 6U 17" / 7U 19" LED-backlit LCD display panel
- ▶ 1920 x 1080 native resolution
- ▶ 16.7M colors
- ▶ HDMI 1.4 + VGA video input (speakers excluded)

Options

- Dual stereo speakers for HDMI (**HS4.4**)
- DVI-D + Audio + Speakers (**DV4.4**)
- DP 1.0 + HDMI + Audio + Speakers (**DP**)
- Composite + Audio IN + Speakers (**BNC**)
- 3G / HD / SD-SDI input + Speakers (**SDI**)
- Multi display OSD controller (**MCS**)
- MIL-type or lockable connector
- DC power : 12V / 24V / 48V / 125V / 250V
- IP65 front protection (**IP65**)
- Touchscreen :
17" Projected Capacitive 10-pt / Resistive 1-pt
19" Resistive 1-pt



RP-F821

8U 21" FHD Display Panel

Benefits

- ▶ 8U 21" LED-backlit LCD display panel
- ▶ 1920 x 1080 native resolution
- ▶ 16.7M colors
- ▶ HDMI 1.4 + VGA video input (speakers excluded)

Options

- Dual stereo speakers for HDMI (**HS4.4**)
- DVI-D + Audio + Speakers (**DV4.4**)
- DP 1.0 + HDMI-2.0 + Audio + Speakers (**DP**)
- Composite + Audio IN + Speakers (**BNC**)
- 3G / HD / SD-SDI input + Speakers (**SDI**)
- Multi display OSD controller (**MCS**)
- MIL-type or lockable connector
- DC power : 12V / 24V / 48V / 125V / 250V
- IP65 front protection (**IP65**)
- Touchscreen : Resistive 1-pt



RP-F117

1U 17" FHD Display Drawer

Benefits

- ▶ 1U 17" LED-backlit LCD display drawer
- ▶ 1920 x 1080 native resolution
- ▶ 16.7M colors (8-bit)
- ▶ HDMI 1.4 + VGA video input (speakers excluded)
- ▶ Short depth design of 480mm
- ▶ One man installation design
- ▶ Modern, molded front handle with two point lock

Options

- Dual stereo speakers for HDMI (**HS4.4**)
- DVI-D + Audio + Speakers (**DV4.4**)
- DP 1.0 + Speakers (**DP**)
- Composite + Audio IN + Speakers (**BNC**)
- 3G / HD / SD-SDI input + Speakers (**SDI**)
- DC power : 12V / 24V / 48V / 125V / 250V
- Touchscreen :
Projected Capacitive 10-pt / Resistive 1-pt



K117 1U 17" 4K LED-backlit LCD Console Drawer

Benefits

- ▶ 1U 17" 4K LED-backlit LCD console drawer
- ▶ 3840 x 2160@60Hz native resolution
- ▶ 2560 x 1440@60Hz QHD resolution support
- ▶ 1920 x 1080 & 1920 x 1200 resolutions support
- ▶ 16.7M colors (8-bit)
- ▶ Display port 1.2 video input / USB KB / MS
- ▶ 104-key USB keyboard with either touchpad or trackball
- ▶ Built-in dual stereo speakers
- ▶ Short depth design of 460mm
- ▶ One man installation design
- ▶ New enhanced aesthetics with molded front handle

Options

- HDMI 2.0 video input (**HDMI**)
- 3G / HD / SD-SDI Broadcast-grade input (**SDI**)
- Front USB hub port for device access (**USB**)
- 2-post rack mounting brackets (**ORB-2.1**)
- DC power : 12V / 24V / 48V / 125V / 250V
- SUN Micro keyboard option
- Touchscreen :
Projected Capacitive 10-pt / Resistive 1-pt



DK117 1U Dual Slide 17" 4K LED-backlit LCD Console Drawer

Benefits

- ▶ 1U 17" 4K LED-backlit LCD console drawer
- ▶ Dual slide - LCD and keyboard slide independently
- ▶ 3840 x 2160@60Hz native resolution
- ▶ 2560 x 1440@60Hz QHD resolution support
- ▶ 1920 x 1080 & 1920 x 1200 resolutions support
- ▶ 104-key USB keyboard with touchpad
- ▶ 16.7M colors (8-bit)
- ▶ Display port 1.2 video input / USB KB / MS
- ▶ Built-in dual stereo speakers
- ▶ One man installation design
- ▶ Modern, molded front handle with two point lock

Options

- HDMI 2.0 video input (**HDMI**)
- 3G / HD / SD-SDI Broadcast-grade input (**SDI**)
- DC power : 12V / 24V / 48V / 125V / 250V
- SUN Micro keyboard option



K123 1U 23" 4K Large LED-backlit LCD Console Drawer

Benefits

- ▶ 1U 23" 4K LED-backlit LCD console drawer
- ▶ 3840 x 2160@60Hz native resolution
- ▶ 2560 x 1440@60Hz QHD resolution support
- ▶ 1920 x 1080 & 1920 x 1200 resolutions support
- ▶ 1.07B colors (10-bit)
- ▶ Display port 1.2 video input / USB KB / MS
- ▶ 104-key USB keyboard with either touchpad or trackball
- ▶ Built-in dual stereo speakers
- ▶ One man installation design
- ▶ Modern, molded front handle with two point lock

Options

- HDMI 2.0 video input (**HDMI**)
- 3G / HD / SD-SDI Broadcast-grade input (**SDI**)
- Front USB hub port for device access (**USB**)
- DC power : 12V / 24V / 48V / 125V / 250V
- SUN Micro keyboard option

Model (left side open)	Model (right side open)
K123	K123R

KVM Kit Options

- **HDMI KVM**
8 ports




RP-K617 6U 17" 4K Display Panel

Benefits

- ▶ 6U 17" 4K LED-backlit LCD display panel
- ▶ 3840 x 2160@60Hz native resolution
- ▶ 2560 x 1440@60Hz QHD resolution support
- ▶ 1920 x 1080 & 1920 x 1200 resolution support
- ▶ 16.7M colors (8-bit)
- ▶ Display port 1.2 + HDMI 1.4 + HDMI 2.0 video input
- ▶ PIP Sub-screen & PBP Dual-screen viewing efficiency
- ▶ Built-in dual stereo speakers

Options

- 112G / 4K60 / SD-SDI input (**12G-SDI**)
- * No HDMI 2.0 after integration of 12G-SDI
- 3G / HD / SD-SDI Broadcast-grade input (**SDI**)
- Multi display OSD controller (**MCS**)
- MIL-type or lockable connector
- DC power : 12V / 24V / 48V / 125V / 250V
- IP65 front protection (IP65)
- Touchscreen :
- Projected Capacitive 10-pt / Resistive 1-pt



RP-K923 9U 23" 4K Display Panel

Benefits

- ▶ 9U 23" 4K LED-backlit LCD display panel
- ▶ 3840 x 2160@60Hz native resolution
- ▶ 2560 x 1440@60Hz QHD resolution support
- ▶ 1920 x 1080 & 1920 x 1200 resolution support
- ▶ 1.07B colors (10-bit)
- ▶ Display port 1.2 + HDMI 1.4 + HDMI 2.0 video input
- ▶ PIP Sub-screen & PBP Dual-screen viewing efficiency
- ▶ Built-in dual stereo speakers

Options

- 12G / 4K60 / SD-SDI input (**12G-SDI**)
- * No HDMI 2.0 after integration of 12G-SDI
- 3G / HD / SD-SDI Broadcast-grade input (**SDI**)
- Multi display OSD controller (**MCS**)
- MIL-type or lockable connector
- DC power : 12V / 24V / 48V / 125V / 250V
- IP65 front protection (IP65)
- Touchscreen :
- Projected Capacitive 10-pt / Resistive 1-pt



RP-K117 1U 17" 4K Display Drawer

Benefits

- ▶ 1U 17" 4K LED-backlit LCD display drawer
- ▶ 3840 x 2160@60Hz native resolution
- ▶ 2560 x 1440@60Hz QHD resolution support
- ▶ 1920 x 1080 & 1920 x 1200 resolution support
- ▶ 16.7M colors (8-bit)
- ▶ Display port 1.2 video input
- ▶ Built-in dual stereo speakers
- ▶ Short depth design of 480mm
- ▶ One man installation design
- ▶ Modern, molded front handle with two point lock

Options

- HDMI 2.0 video input (**HDMI**)
- 3G / HD / SD-SDI Broadcast-grade input (**SDI**)
- DC power : 12V / 24V / 48V / 125V / 250V
- Touchscreen :
- Projected Capacitive 10-pt / Resistive 1-pt

Multi-Display Console Drawer

MRK

2U Multi-display Console Drawer



Key Benefits

- ▶ 2U 22" short depth design
- ▶ Light weight
- ▶ Rugged construction for mobility & durability
- ▶ Built-in solid bearing slide rails
- ▶ Built-in dual stereo speaker (per display)
- ▶ Four LED backlit display selections (4K, WUXGA, FHD, 4:3)
- ▶ DVI-D + VGA video input for FHD, WUXGA & 4:3 (per display)
- ▶ Display port 1.2 video input for 4K (per display)
- ▶ 104-key keyboard with either touchpad or trackball (PS2 / USB)
- ▶ Fits 24" ~ 36" rack via adjustable mounting brackets

Options

- DC power: 12V / 24V / 48V / 125V / 250V
- 3G / HD / SD-SDI Broadcast-grade input
- Sunlight readable LCD for 17" FHD & 19" 4:3
- Touchscreen
- SUN Micro keyboard options available
- Front USB hub port for device access
- HDMI video input
- USB keyboard & mouse selector

Models

LH mounted



RH mounted



17" **4K**

MRK-K17-2L

MRK-K17-3

MRK-K17-2R

17" **1080p**

MRK-F17-2L

MRK-F17-3

MRK-F17-2R

16.2" **1920 1200**

MRK-X17-2L

MRK-X17-3

MRK-X17-2R

19" **1280 1024**

MRK-19-2L


MRK-19-3

MRK-19-2R

Rear View


MRK-K17

Standard : DP
Option : DP + HDMI



MRK-F17 / MRK-X17 / MRK-19

Standard : VGA + DVI-D
Option 1 : VGA + HDMI
Option 2 : VGA + DP (MRK-F17 only)



MRP

2U Multi-display Drawer



Key Benefits

- ▶ 2U 22" short depth design
- ▶ Light weight
- ▶ Rugged construction for mobility & durability
- ▶ Built-in solid bearing slide rails
- ▶ Built-in dual stereo speaker (per display)
- ▶ Four LED backlit display selections (4K, WUXGA, FHD, 4:3)
- ▶ DVI-D + VGA video input for FHD, WUXGA & 4:3 (per display)
- ▶ Display port 1.2 video input for 4K (per display)
- ▶ Fits 24" ~ 36" rack via adjustable mounting brackets

Options

- DC power: 12V / 24V / 48V / 125V / 250V
- 3G / HD / SD-SDI Broadcast-grade input
- Sunlight readable LCD for 17" FHD & 19" 4:3
- Touchscreen
- HDMI video input

Models

LH mounted




RH mounted




17" 4K	MRP-K17-2L	MRP-K17-3	MRP-K17-2R
17" 1080p	MRP-F17-2L	MRP-F17-3	MRP-F17-2R
16.2" 1920 1200	MRP-X17-2L	MRP-X17-3	MRP-X17-2R
19" 1280 1024	MRP-19-2L	MRP-19-3	MRP-19-2R

Rear View

MRP-K17



MRP-F17 / MRP-X17 / MRP-19



Keyboard Drawer



RK-2e / RK-2b

1U Short Depth Keyboard Drawer

Benefits

- ▶ 1U keyboard drawer
- ▶ 104-key keyboard with either touchpad or trackball
- ▶ Short depth design of 400mm
- ▶ Modern, molded front handle with two point lock

Options

- SUN Micro keyboard options



RK-1

1U Keyboard Drawer

Benefits

- ▶ 1U keyboard drawer
- ▶ 104-key keyboard with either touchpad or trackball
- ▶ One man installation design
- ▶ Modern, molded front handle with two point lock

Options

- SUN Micro keyboard options
- KVM rear kit: 2K
 - DVI-D
 - Combo Cat6
 - Matrix Cat6
 - Combo DB-15
 - USB Hub DB-15




Standard Keyboard



G keyboard with touchpad



G keyboard with trackball



Supporting layouts

America



U.S.

EMEA



U.K.



Germany



France



Spain



Italy

Asia



Japan



Korea

AUSTIN HUGHES®

Austin Hughes has an extensive distribution network, including the Americas, EMEA, APAC & ASEAN. Contact your nearest sales office for details of local representation

Americas

Austin Hughes Solutions Inc.
21375 Cabot Blvd
Hayward, CA 94545
United States

inquiry-americas@austin-hughes.com

EMEA

Austin Hughes Europe Ltd.
Unit 1, Chancery Gate Business Centre
Manor House Avenue
Southampton, SO15 0AE
United Kingdom

inquiry-emea@austin-hughes.com

APAC

Austin Hughes Electronics Ltd.
Unit 3608-12, Cable TV Tower
9 Hoi Shing Road, Tsuen Wan
Hong Kong

inquiry-apac@austin-hughes.com

ASEAN

Austin Hughes Pte. Ltd.
1 Bukit Batok Crescent,
#04-27 WCEGA Plaza,
Singapore 658064

inquiry-asean@austin-hughes.com



As a leading global IT manufacturer, Austin Hughes provides TAA-compliant data center solutions, manufactures and assembles products in strategic TAA-certified locations.

Please ask for details of other products from Austin Hughes. Every effort has been made to ensure that the information contained herein is correct. There is a possibility that the image(s) shown may not be exactly the same as the final product. The company reserves the right to modify product specifications without prior notice and assumes no responsibility for any error which may appear in this publication.

All brand names, logo and registered trademarks are properties of their respective owners.
Copyright 2025 Austin Hughes Electronics Ltd. All rights reserved.

Distributed by:

Distributor by country on application